











Open Joint Stock Company "Olsa" (JSC «Olsa»)












23, Karl Marx Str., Mogilev, 212030, Belarus









fax: +10 375 (222) 22-98-89, tel. 22-10-32

www.olsa.by











Price list

Name of product	Article	Price, EUR (FCA)	Picture
<i>Folding beds</i>			
<p><u>"Stefania tough"</u> Overall dimensions (length * width * height), mm: 1920 * 660 * 240. Max load 120 kg. Regulation of HR 4 position.</p>	c85a	7,58	
<p><u>"Stefania"</u> Overall dimensions (length * width * height), mm: 1920 * 660 * 250. Max load 120 kg. Mattress: foam sheet 10mm. Regulation of HR 4 position.</p>	c86a	10,10	
<p><u>"Stefania"</u> Overall dimensions (length * width * height), mm: 1920 * 660 * 300. Max load 120 kg. Mattress: baby foam, 60mm thick. Regulation of HR 4 position.</p>	c88a	10,80	
<p><u>"Stefania"</u> Overall dimensions (length * width * height), mm: 1920 * 660 * 290. Max load 120 kg. Mattress: polyester filler "Vaytbol", 50 mm thick. Regulation of HR 4 position.</p>	c404	12,32	
<p><u>"Nadin" tough</u> Overall dimensions (length * width * height), mm: 1970 * 733 * 340. Max load 120 kg. mattress: foam sheet 10mm; Regulation of HR 4 position.</p>	c407	8,69	
<p><u>"Nadin" soft</u> Overall dimensions (length * width * height), mm: 1970 * 733 * 350. Max load 120 kg. Mattress: foam sheet 10mm; Regulation of HR 4 position.</p>	c408	10,74	
<p><u>"Nadin" soft</u> Overall dimensions (length * width * height), mm: 1970 * 733 * 420. Max load 120 kg. Mattress: baby foam 60 mm Regulation of HR 4 position.</p>	c648	11,57	
<p><u>"Nadin" soft</u> Overall dimensions (length * width * height), mm: 1970 * 733 * 390. Max load 120 kg. Mattress: foam 50 mm sheet Regulation of HR 4 position.</p>	c 649	14,60	




Convertible Beds			
<p>"Julia" Overall dimensions: 1900*700*397 mm. Max load 100 kg. Frame: steel tube Ø22*1.5 polymeric coating, snake webbing, ball caster. Mattress: granulated polyurethane foam 100 mm</p>	c5п	14,20	
<p>"Julia" Overall dimensions: 1900*700*397 mm. Max load 100 kg. Frame: steel tube Ø22*1.5 polymeric coating, snake webbing, ball caster. Mattress: foam sheet 50 mm</p>	c5л	17,11	
<p>"Verona" Overall dimensions (length*width*height): 1940*790*385 mm. Max load 180 kg. Frame: steel tube Ø25*1.5 polymeric coating, lamellas Mattress: foam sheet 50 mm</p>	c401	19,20	
<p>"Vilia" Overall dimensions (length * width * height): 1940 * 793 * 370 mm. Max load 180 kg. Frame: steel pipe Ø25 * 1.0, lamellas. Mattress: foam sheet 50 mm</p>	c 445	20,46	
<p>"Otdih" Overall dimensions: 1940*790*385 mm . Max load 100kg. Frame: steel tube Ø25*1.0, snake webbing Mattress: foam sheet 50 mm</p>	c4	15,35	
Folding chairs			
<p>"Folvark" tough · Seat - 460*512 mm · Back - 460*477 mm Max load 120 kg.</p>	c80a,c509-517,c564	6,80	
<p>"Folvark" soft · Seat - 460*512 mm · Back - 460*477 mm Soft element: foam sheet 10 mm. Max load 120 kg</p>	c81a, c520-527	7,10	
<p>"Naroch" (Swing armchairs) Overall dimensions (length*width*height): 1100*568*940 mm. Max load 120 kg</p>	c238	16,70	
<p>"Malta" Overall dimensions (length*width*height): 1036*620*1058 mm. Max load 80 kg</p>	c 587	17,12	
Chairs, Chaise Lounges			
<p>«Alberto» · Seat - 430 * 462 mm · Back - 430 * 768 mm Regulation backrest 6 positions. Max load 120 kg Soft element: foam sheet 50mm</p>	c92a,c469-c477	17,21	  
<p>"Alberto-2" - Seat - 460*537 mm - Back - 460*715 mm Regulation backrest 6 positions. Max load 120 kg Soft element: foam sheet 50mm</p>	c212,c479-c487	18,81	
<p>"Alberto-3" · Seat - 460*462 mm; · Back - 460*768 mm; Regulation backrest 6 positions. Max load 120 kg Soft element: foam sheet 50mm</p>	c272a,c489-c497	18,82	

<p>"Tahiti" Dimensions (length * width * height), mm : 1520±20x1000±20x720±5. Max load 120 kg</p>	c447	19,20	
<p>"Laguna" Dimensions (length * width * height), mm: 1320 * 594 * 960 mm. Max load 120 kg</p>	c258	14,22	
<p>"Leonardo" Dimensions 1680 * 650 * 825 mm; Max load 120kg Back angle: adjustable in steps (5 positions) Soft element: foam sheet 50mm</p>	c446,c499-c507	20,60	
<p>"Masheka" · Seat - 440*510 mm; · Back - 716*510 mm; Soft element: foam sheet 50mm. Max load 120 kg</p>	c399	20,80	
Garden Swings			
<p>"Standart - 2" Max load - 210 kg. Overall dimensions (length*width*height): 2280*1230*1460 mm (seat-1706*497 mm,backsupport – 1706*497 mm, awning - 1830*1020) . Frame: steel tube Ø32*1.5 polymeric coating.Soft unit: mattress – 50 mm polyurethane foam sheet, two cushions. Adjustable backrest : the chain links to the desired angle.</p>	c392л	61,20	
<p>"Lux - 2" Max load - 280 kg. Overall dimensions (length*width*height): 1936*1543*1600 mm (seat- 1706*586 mm,backsupport – 1706*586 mm, awning - 1448*1950). Frame: steel tube Ø32*1.5 polymeric coating.Soft unit: mattress – 50 mm polyurethane foam sheet,two cushions or two soft side pieces. Adjustable backrest : the chain links to the desired angle , in a horizontal latching position.</p>	c393л,c588	89,34	
<p>"Comfort -M" Max load - 320 kg. Overall dimensions (length*width*height): 2114*1430*1640 mm (seat-1706*540 mm,backsupport – 1706*540 mm, awning - 1205*2113) . Frame: steel tube Ø51*1.5 polymeric coating.Soft unit: mattress – 50 mm polyurethane foam sheet,two cushions. Adjustable backrest : the chain links to the desired angle.</p>	c232л	102,69	
<p>"Siena" Max load - 320 kg. Overall dimensions (length*width*height): 2210*1350*1740 mm (seat-1782*532 mm, backsupport – 1782*532 mm, awning - 2200*1450). Frame: steel tube Ø51*1.5 polymeric coating.Soft unit: mattress – 80 mm polyurethane foam sheet,filler sides - foam 20. Adjustable backrest : the chain links to the desired angle , in a horizontal latching position</p>	c658,c657,c457, c 458	121,84	

<p>"Quartet" Max load - 320 kg. Overall dimensions (length*width*height): 2114*1410*1980 mm (seat-1790*540 mm, backsupport – 1790*540 mm, awning - curved). Frame: steel tube Ø51*1.5 polymeric coating. Soft unit: mattress – 80 mm polyurethane foam sheet, two cushions. Adjustable backrest: the chain links to the desired angle.</p>	<p>c228, c460,c461</p>	<p>120,69</p>	
<p>"Mastak" Max load - 320 kg. Overall dimensions (length*width*height): 2100*1440*1627 mm (seat-1790*540 mm, backsupport – 1790*540 mm, awning - 2170*1545). Frame: steel tube Ø60*1.5 polymeric coating/Soft unit: mattress – 80 mm polyurethane foam sheet, 2 soft side pieces. Adjustable backrest : the chain links to the desired angle , in a horizontal latching position.</p>	<p>c396, c466,c467, c654, c653</p>	<p>160,60</p>	
<p>"Mastak Premium" (furniture fabric) Max load - 320 kg. Overall dimensions (length*width*height): 2100*1440*1775 mm (seat-1790*540 mm, backsupport – 1790*540 mm, awning - 2215*1430). Frame: steel tube Ø60*1.5 polymeric coating. Soft unit: mattress – 80 mm polyurethane foam sheet, 2 soft side pieces. Adjustable backrest : the chain links to the desired angle , in a horizontal latching position.</p>	<p>c589,c652</p>	<p>197,51</p>	
<p>"Mastak Premium" Max load - 320 kg. Overall dimensions length*width*height): 2100*1440*1775 mm (seat- 1790*540 mm, backsupport – 1790*540 mm, awning - 2215*1430) . Frame: steel tube Ø60*1.5 polymeric coating. Soft unit: mattress – 80 mm polyurethane foam sheet, 2 soft side pieces. Adjustable backrest : the chain links to the desired angle , in a horizontal latching position.</p>	<p>c 555, c 597</p>	<p>178,22</p>	
<p>"Palermo" Max load - 320 kg. Overall dimensions (length*width*height): 2386*1440*1710 mm (seat-1956*540 mm, backsupport – 1956*540 mm, awning - 2370*1435). Frame: steel tube Ø60*1.5 polymeric coating. Soft unit: mattress – 80 mm polyurethane foam sheet, two cushions, fixing mosquito nets. Back support smoothly adjustable from vertical position to horizontal.</p>	<p>c449</p>	<p>253,11</p>	
<p>"Palermo Premium" (furniture fabric) Max load - 320 kg. Overall dimensions (length*width*height): 2386*1440*1710 mm (seat- 1956*540 mm, backsupport – 1956*540 mm, awning - 2382*1420) Frame: steel tube Ø60*1.5 polymeric coating. Soft unit: mattress – 80 mm polyurethane foam sheet, two cushions, fixing mosquito nets. Back support smoothly adjustable from vertical position to horizontal.</p>	<p>c 591</p>	<p>258,88</p>	
<p>"Palermo Premium" Max load - 320 kg. Overall dimensions (length*width*height): 2386*1440*1710 mm (seat-1956*540 mm, backsupport – 1956*540 mm, awning - 2382*1420) Frame: steel tube Ø60*1.5 polymeric coating. Soft unit: mattress – 80 mm polyurethane foam sheet, two cushions, fixing mosquito nets. Back support smoothly adjustable from vertical position to horizontal.</p>	<p>c 448</p>	<p>235,02</p>	

<p>"Turin" Max load - 280 kg. Overall dimensions length*width*height): 2072*1380*1815 mm (seat- 1782*532 mm,backsupport – 1782*532 mm, awning - 2130*1430) Frame: steel tube Ø51*1.4, polymeric coating.Soft unit: mattress – 80 mm polyurethane foam sheet,2 soft side pieces. Adjustable backrest : the chain links to the desired angle , in a horizontal latching position.</p>	c 556, c590	125,70	
<p>"Rodeo" Max load - 280 kg. Overall dimensions length*width*height): 2072*1380*1665 mm (seat- 1782*532 mm,backsupport – 1782*532 mm, awning - 2500*1455) Frame: steel tube Ø51*1,5 polymeric coating.Soft unit: mattress – 80 mm polyurethane foam sheet,2 soft side pieces. Back support smoothly adjustable from vertical position to horizontal.</p>	c 464, c463, c 655, c 656	116,50	
Folding table			
<p>"Tourist" Dimensions mm: 800 * 600 * 660. Table top: MDF with lacquer coating.</p>	c122	9,2	
Furniture Sets			
<p>"Picnic" Frame: steel tube Ø18*1.0 Ø16*1.0 polymeric coating Overall dimensions (length, width, height): Table: 800*600*660 Fisherman's chair: 370*320*370</p>	c286	18,63	
<p>"Ankona" Frame: steel tube Ø25*1.0 Ø18*1.0 polymeric coating Overall dimensions (length, width, height): Table: 892*710 Chair: 1010*590*585</p>	c 586	96,72	
Goods for kids			
<p>"Junior" Children's Folding Bed, tough Overall dimensions (length*width*height):1524*640*248 mm. Max load 60 kg</p>	c89	6,74	
<p>"Junior" Children's Folding Bed, soft Overall dimensions (length*width*height):1524*640*255 mm. Max load 60 kg</p>	c89M	8,33	
<p>"Junga" Children's Folding Bed, soft Overall dimensions (length*width*height):1524*617*319 mm. Max load 60 kg. Lamellas</p>	c451	15,20	
<p>"Solnyshko-3" Overall dimensions (length*width*height):2400*1835*1860 mm. Frame: steel tube Ø45*1.5 Seats: plastic. Max load 50 kg</p>	c274	61,24	
<p>"Zabava" Overall dimensions (length*width*height):2400*840*630 mm. Frame: steel tube Ø32*1.5. Seats: plastic. Max load 50 kg</p>	c431	26,40	

Other products

<p><u>Submersible household pump “Ruceek Technopribor-1”</u> Construction: with upper water intake. Modifications: with cable length 10 m, 15 m, 25 m, 40 m. Capacity, l/h: - from depth of 1 m, no less than 1050; - from depth of 40m, no less than 432. Strength, W: 225 AC Voltage, V: 220 Overall dimensions (length*width), mm: 280*100 Weight (without feeder), kg: 3,6</p>	<p>with cable length 10 m</p>	<p align="center">14,80</p>	
<p><u>Submersible household pump “Ruceek Technopribor-1M”</u> Construction: with bottom water intake. Modifications: with cable length 10 m, 15 m, 25 m, 40 m. Capacity, l/h: - from depth of 1 m, no less than 1050; - from depth of 40m, no less than 432. Strength, W: 225 AC Voltage, V: 220 Overall dimensions (length*width), mm: 280*100 Weight (without cable), kg: 3,6</p>	<p>with cable length 10 m</p>	<p align="center">16,50</p>	
<p><u>Small-size woodworking machine «MDS 1-05»</u> Basic equipment of the machine includes: clamping device, crown cover, guide fence, set of knives (2 pcs.), saw d 250, table saw. Maximum thickness of sawn material, mm: 70. Maximum width of planed material, mm: 235, 250 (using clamping device). Overall dimensions (length*width*height), mm: 950*570*460 Nominal motor rating, kW: 2,2 AC Voltage, V: 220 Weight without accessory kit, no more, kg: 48 Weight with accessory kit, no more, kg: 66</p>		<p align="center">175,70</p>	

The prices for product are negotiable and depend on volumes and conditions of delivery (FCA, CPT), conditions of payment and so forth.