



**Closed Joint Stock Holding
Company
"PINSKDREV"**
Ivan Chuklay str. 1,
BY-225710, Pinsk
Export plywood department
Tel +375 (165) 34 11 61, 30 12 90
Tel/Fax +375 165 34 11 71
e-mail: plywood@pinski.drev.by
[http: www.pinski.drev.by](http://www.pinski.drev.by)

Dear Sirs,

Let us introduce Closed Joint Stock "Holding Company "Pinskdev".
Our enterprise is the oldest and the largest one in the whole woodworking industry of the Republic of Belarus. By its creation it is under an obligation to brothers Louriers – nationals of the Empire of Austria and Hungary, who in 1880 founded a shoe pegs, plywood and plywood boxes factory in Pinsk. In 2010 CJS "Holding Company "Pinskdev" has been 130 years of age. The numbers of workers of our company is more than 6000 persons. The output of plywood is 6000 m3 per month.

The company includes nearly 30 branches and the industrial areas make 73700 m2. It is situated in the town Pinsk, well known for historical events and architectural constructions. We have a very good geographical position, because our town is situated not far from Polish and Ukrainian borders.

CJS "Holding Company "Pinskdev" produces alder and birch plywood of mark FK. Technical characteristics of plywood meet GOST 3916.1-96.

Characteristics of plywood:

- 1) Mark FK (waterproof plywood) acc. to GOST 3916.1-96.
- 2) Dimension of sheets - 1525*1525 mm,
- 3) Grades – B/BB, BB/BB BB/CP, BB/C, CP/CP, CP/C, C/C.
- 4) Thickness of sheets – 3, 4, 5, 6, 8, 9, 10, 12, 15, 18, 21, 24, 30 mm.
- 5) Kind of treatment – sanded, except grade C/C.
- 6) Wood species – birch, alder.
- 7) Foreign trade nomenclature of goods – 4412321000.
- 8) Transportation:
 - automobile transportation (32 pallets),
 - covered rail truck 45 tones (70 pallets), 60 tones (98 pallets).

Plywood is packed as follows:



Glued plywood of mark FK of higher quality is used in furniture production, in parquet production, plywood of lower quality is used as package material and partially in construction.

Our company also produces glued furniture parts: seats, backs of chairs for students' furniture, seats and backs of chairs for office furniture, bed slats, fuel briquettes, matches, furniture board. We are also the largest furniture producer in Belarus.

CJS "Holding Company "Pinskdev", the first plywood producer in Belarus being certified according to the world's strictest formaldehyde emission norms – CARB-regulations (California Air Resources Board) would like to offer you glued plywood. Our company has signed a contract with German Institute EPH – "Entwicklungs- und Prueflabor Holztechnologie GmbH" (Dresden) to conduct plywood and glued furniture parts certification according to CARB regulations. CARB regulations were set by Californian University to reduce the level of formaldehyde emissions in production imported in the USA. In comparison with the European norms of formaldehyde emission E- 1 of 3,5 mg/m3h, CARB requires less than 1,2 mg/m2.

CJS «Holding Company «PINSKDREV» can also produce on customers' request safety matches with the following specifications:

- matches with different match tip colour (green, red, brown);
- matches with customers' label (2–4 colour printed adhesive label or printing on the box, on customer's request advertisements can be placed on the match box);
- different types of sticker — full sticker or honeycomb sticker;
- different types of packing (paper, PP foil, carton box, shrink wrapping PVC foil).

Specifications of matches:

Box size: 51 x 37,5 x 14,5 mm with adhesive label

Label: 2–4 colour print

Average content: 45 match splints per box

Match tip colour: brown, green, red

Packing: 10 boxes in paper or PP foil

25 packs in shrink wrapping PVC foil

10 x 25 x 4 packs (it is 1000 boxes) in standard carton

Matches are made of aspen.



Loading capacity

Railway carriage (25 t)- 2750 boxes

Car (82 m3)- 2100±100 boxes

Container (20 t)- 784 boxes

Storage of matches

Matchboxes are to be stored indoors at no more than +40 C, air humidity no more than 85%, to be stowed no less than 10 cm from outer walls. It is impermissible to store matches close to heating units, inflammable goods and on the same premises with easily evaporated products (salt, vegetables etc.).

Our company is interested to establish long-term partnership and we will be glad if our goods will help you in your business.

With hope for long-term and effective cooperation.

Contact person – Yuri Pronin (Head of export department)	☎ tel. +375 (165) 34-11-61, 35-92-76, 32-32-95, 31-61-74 fax. +375 (165) 34-11-71 ✉ e-mail: plywood@pinski.drev.by , zapalka@pinski.drev.by
--	---

glued plywood

Thickness	Sheets per pallet	I/II	II/II	II/III	II/IV	III/III	III/IV	IV/IV
3 mm	130	645	585	575	570	535	530	515
4 mm	100	600	575	570	565	525	515	500
5 mm	80	510	500	485	465	435	425	400
6 mm	65	488	455	435	415	405	400	386
8 mm	50	475	435	415	405	400	385	375
9 mm	45	470	402	405	395	385	375	355
10 mm	40	465	398	392	380	370	355	335
12 mm	33	443	390	385	355	355	345	325
15 mm	27	441	390	385	355	355	345	325
18 mm	22	440	390	385	355	355	345	325
21 mm	19	453	410	395	365	360	345	335
24 mm	17	467	420	410	375	370	365	355
30 mm	13	475	445	425	385	380	375	365

EUR/m³ ↪ FCA Pinsk ↪ Terms of payment – 100% prepayment

Characteristics of plywood:

- 1) Mark FK (waterproof plywood) acc. to GOST 3916.1-96.
- 9) Dimension of sheets - 1525*1525 mm,
- 10) Grades – B/BB, BB/BB BB/CP, BB/C, CP/CP, CP/C, C/C.
- 11) Thickness of sheets – 3, 4, 5, 6, 8, 9, 10, 12, 15, 18, 21, 24, 30 mm.
- 12) Kind of treatment – sanded, except grade C/C.
- 13) Wood species – birch, alder.
- 14) Foreign trade nomenclature of goods – 4412320000.
- 15) Transportation:
 - automobile transportation (32 pallets),
 - covered rail truck 45 tones (70 pallets), 60 tones (98 pallets).

Plywood is packed as follows:



➡ More detailed information you can find here: www.pinskdrev.by

Contact person – Inna Filipinskaya (Head of export plywood department)	☎ tel. +375 (165) 34-11-61, 30-12-90 fax. +375 (165) 34-11-71 ✉ e-mail: plywood@pinskdrev.by
--	--

Being the chief producer of the whole woodworking branch of the Republic of Belarus, CJSC “Holding Company “PINSKDREV” has the honour to offer You safety matches with the following specifications:

Safety matches specifications:

Code of goods	3605000000	
Box size	51 x 37,5 x 14,5 mm with adhesive label	
Carton size (1000 boxes)	400 x 270 x 307 mm	
Splint size	1,95 x 1,95 x 42 mm	
Material	aspen	
Average content	40 match splints per box	
Label	2-4 colour print	
Label size	48 x 35 mm	
Match tip colour	Brown, green, red	
Quality	According to GOST 1820-2001	
Loading capacity	Railway carriage (25 t)	3050 cartons
	Car (86 m3)	2500 cartons
	Container (20 t)	784 cartons
Weight	Netto	8.4 kg
	Brutto	8.9 kg
Terms of payment	100% advance payment	
Terms of delivery (Incoterms 2000)	FCA Pinsk	
Price Version 1-2	13,50 euro	
Price Version 3-6	13,70 euro	

Packing

Version 1:

10 boxes in paper, 100 packs in carton box(1000 match boxes in standard carton)



Version 2:

10 boxes in PP foil, 100 packs in carton box(1000 match boxes in standard



Version 3:

10 boxes in paper, 25 packs in shrink wrapping PVC foil, 10 x 25 x 4 packs (it is 1000 boxes) in standard carton



Version 4:

10 boxes in PP foil, 25 packs in shrink wrapping PVC foil, 10 x 25 x 4 packs (it is 1000 boxes) in standard carton



Version 5:

10 boxes in paper, 50 packs in shrink wrapping PVC foil, 2 x 50 packs in sticky tape without carton box



Version 6:

10 boxes in PP foil, 50 packs in shrink wrapping PVC foil, 2 x 50 packs in sticky tape without carton box



Storage of safety matches

Matchboxes are to be stored indoors at no more than +40 C, air humidity no more than 85%, to be stowed no less than 10 cm from outer walls. It is impermissible to store matches close to heating units, inflammable goods and on the same premises with easily evaporated products (salt, vegetables etc.).

Contact information: CJSC "Holding Company "Pinskdev"

1, I. Chuklaya Str.
225710, Pinsk, Belarus
Tel/fax +375 165 31-61-74
Tel +375 165 30-02-02
e-mail: zapalka@pinskdev.by
web: www.pinskdev.by

Contact person: Mr. Viacheslav Borodich
sales manager



CJSC "Holding Trust "Pinskdev"
[http: www. pinskdrev.by](http://www.pinskdev.by)